EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1442	(711/100).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:41
L2	1768	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:41
L3	369	(717/131).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:41
L4	68	(717/133).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:41
L5	262	execut$3 same ((funclet$1 or program) same load$3) same (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:45
L6	293	(717/159).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:48
L7	85	(717/157).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:49
L8	432	(717/140).CCLS.	USPAT; USOCR	OR	OFF	2008/05/01 14:49
L9	962	((funclet$1 or program) same load$3) same (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:49
L10	2718	((funclet$1 or program$1 or function$1) same load$3) same (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:50

L11	7	1 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:53
L12	10	2 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:53
L13	2	3 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:54
L14	0	4 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:54
L15	0	6 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:54
L16	0	7 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:54
L17	3	8 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:54
L19	3203	717/?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:55

L20	24	9 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 14:55
L21	3039	(call near10 (function$1 or program$1 or task$1 or funclet$1)) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:22
L22	18	(call near10 (function$1 or program$1 or task$1 or funclet$1)) same identifier same (main near2 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:27
L23	9	(call near10 (function$1 or program$1 or task$1 or funclet$1)) same identifier same (overlay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:28
L24	3	1 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:32
L25	4	2 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:32
L26	14	3 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:32

L27	4	4 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:32
L28	4	6 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:33
L29	3	7 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:33
L30	10	8 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:33
L31	9	(load$3 near10 (function$1 or program$1 or task$1 or funclet$1)) same identifier same (overlay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:35
L32	1862	(load$3 near10 (function$1 near2 program $1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:36
L33	80	(load$3 near10 (function$1 near2 program $1)) and overlay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:36

L34	33	(load$3 near10 (function$1 near2 program $1)) and overlay and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:37
L35	7	(funclet same overlay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:56
L36	7	(funclet$1 same overlay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 15:56
S1	12	overlay same (resource adj identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:10
S2	7	(overlay near5 (entry adj point)) and (resource adj identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:18
S3	23	(overlay near5 (entry adj point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:24
S4	7	(overlay same funclet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:29
S5	108	(overlay same (main near2 program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:33

S6	10	(overlay same (main near2 program)) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:33
S7	7	(overlay same funclet$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:36
S8	7	(overlay and funclet$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:37
S9	490	(overlay same (funclet$1 or program) same load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:51
S10	10	(overlay same (funclet$1 or program) same load$3) and (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 09:51
S11	3110	((funclet$1 or program) same load$3) and (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:17
S12	962	((funclet$1 or program) same load$3) same (load$3 near5 (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:17

S13	129	((funclet$1 or program) same load$3) and (load$3 near5 (identifier or ID)) and overlay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:19
S14	110	((funclet$1 or program) with load$3) and (load$3 near5 (identifier or ID)) and overlay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:20
S15	11	((funclet$1 or program) with load$3) and (load$3 near5 (identifier or ID)) and (overlay near5 space)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:20
S16	11	((funclet$1 or program) with load$3) and (load$3 near5 (identifier or ID) near5 register) and overlay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:21
S17	7	(call with (funclet$1 or program) with load$3) and (load$3 near5 (identifier or ID) near5 register) and overlay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:47
S18	15	(call with (funclet$1 or program) with load$3) and (load$3 near5 (identifier or ID) near5 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 10:58

S19	19	(funclet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 11:04

5/1/2008 4:29:41 PM
C:\Documents and Settings\JSong\My Documents\EAST\Workspaces\10723781.2.wsp